



Supersedes:27/11/2023 Revision: 1.3 Revisiondate:12/12/2023

SECTION 1: Identification

1.1Identification

Product form : Substance

Substance name : 3-Methoxy butanol

Synonyms : 3-methoxybutan-1-ol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Relevant identified uses : Intermediate
Uses advised against: : Not known

1.3Details of the supplier of the safety datasheet

Godavari Biorefineries Ltd. 45/47, Somaiya bhavan, Mahatma Gandhi Road, Fort, Mumbai -400001, INDIA.

T 0091 22 22048272 Email: <u>alka@somaiya.com</u> <u>www.somaiya.com</u>

1.4Emergency telephone Number

Emergency number : 0091 2423 279308

0091 22 22048272 (Monday – Friday - 09.30 hrs to 18.00 hrs)

SECTION 2: Hazard(s) identification

GHS classification

2.1Classification of the substance or mixture

Acute toxicity-Oral, Category 5 H303 Flammable liquids, Category 4 H 227

2.2 GHS labeling

Hazard Pictograms (GHS)

GHS 02

Signal Word (GHS) : Warning

Hazard Statements (GHS) : H227 –Flammable liquid.

H303 – May be harmful if swallowed.

Precautionary Statements (GHS) : P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking.

: P280 - Wear protective gloves/ eye protection/ face protection.

P240: Ground/bond container and receiving equipment.

: P243: Take precautionary measures against static discharge.

: P280: Wear protective gloves/protective clothing/eye protection/face protection.





Supersedes:27/11/2023 Revision: 1.3 Revisiondate:12/12/2023

P303+P361+P353: IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].

: P301+ P317 - IF SWALLOWED: Get medical help

P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

: P403+P235 - Store in a well-ventilated place. Keep cool.

: P501 - Dispose of contents/ container to an approved waste disposal plant

Supplemental Hazard information

: None

2.3 Other hazards

Not data available.

2.4 Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/Information on ingredients

3.1 Substance

Name	Product Identifier CAS No. EC No.	Concentration %	GHS Classification
3-Methoxy butanol	2517-43-3 219-741-8	>99.0%	Acute Tox. Oral Cat. 5, H303, Flam. Liq.Cat. 4, H227

Full text of hazard classes and H-statements: see section 16

3.2. Mixture

Not applicable.

SECTION 4: First aid measures

1 1	Description	of first aid	mageurae
4.1	Describtion	of first aid	measures

General information : Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

Inhalation : If breathed in, move person into fresh air. Consult a physician after significant

exposure.

Skin contact : If skin irritation persists, call a physician. After contact with skin, wash immediately

with plenty of soap and water.

Eye contact : Call a physician immediately. Rinse immediately with plenty of water, also under

the eyelids.

Ingestion : Do not induce vomiting without medical advice. Immediately give large quantities

of water to drink. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1Extinguishing media

Suitable extinguishing media : Dry powder, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire





Supersedes:27/11/2023 Revision: 1.3 Revisiondate:12/12/2023

5.2 Special hazards arising from the substance or mixture

Heating or fire can release toxic gas

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Firefighting instructions : Wear self-contained breathing apparatus for firefighting if necessary

5.4 Additional information

Use water spray to cool unopened containers

SECTION 6: Accidental release measures

6.1Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Wear personal protective equipment.

6.2 Environmental precautions

Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from sources of ignition. No smoking. Take necessary action to avoid static electricity discharge. In case of fire, emergency cooling with water spray should be available.

Temperature class: T2

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Keep container tightly closed in a dry and well-ventilated place. German storage class: 10: Combustible liquids not listed in class 3A or 3B

7.3 Specific end uses

No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits:

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Material should be handled safely.











Personal protective equipment

Protective goggles. Gloves. Protective clothing. Face shield. Gas mask with filter.

Materials for protective clothing

GIVE EXCELLENT RESISTANCE: Butyl Rubber. Polyethylene/Ethylene Vinyl Alcohol. Viton. GIVE GOOD RESISTANCE: Neoprene. GIVE LESS RESISTANCE: Natural Rubber. PVC. GIVE POOR RESISTANCE: Polyethylene. PVA.





Supersedes:27/11/2023 Revision: 1.3 Revisiondate:12/12/2023

No Data Available

Hand protection : Gloves.

Eye protection : Safety glasses.

Skin and body protection : Head/neck protection. Corrosion-proof clothing.

Respiratory protection : Wear gas mask with filter type A if conc. in air > exposure limit. High vapour/ gas

concentration: self-contained respirator.

Thermal hazard protection : None.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid

Colour : Colourless

Odour : No Data Available
pH : No Data Available
Melting point : No Data Available

Freezing point : -85 °C

157°C at 1.013 hPa Initial boiling point/boiling range Flash Point 67 °C - closed cup Relative evaporation rate No Data Available 0.923 g/mL at 23 °C Relative density Relative vapour density at 20°C No Data Available No Data Available Specific gravity/ density Molecular mass 104.15 g/mol Flammability(Solid, Gas) No Data Available

Explosive limit

Upper/lower flammability or

Solubility : No Data Available
Vapor pressure : 0.17 hPa at 20°C
Vapour density : No Data Available
Evaporation Rate : No Data Available

Partition coefficient n-octanol/water : log Pow: 0.002 at 20°C

Auto-ignition temperature : 305 °C

Decomposition temperature : No Data Available
Viscosity : 3.68 mPa.s (20°C)
Explosive Limits : No Data Available
Oxidizing properties No Data Available

9.2 Other information

No Data Available





Supersedes:27/11/2023 Revision: 1.3 Revisiondate:12/12/2023

SECTION 10: Stability and reactivity

10.1Reactivity : No Data Available

10.2 Chemical StabilityStable under recommended storage conditions

10.3 Possibility of hazardous

reactions

No Data Available

10.4 Conditions to avoid : Keep away from heat and sources of ignition. Avoid contact with heat, sparks,

open flame, and static discharge

10.5 Incompatible materialsOxidizing agents, Peroxides, Acids and bases

10.6 Hazardous decomposition : Carbon dioxide.

products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

LD50 oral toxicity : Species: Rat Value: >2000 mg/kg Method: OECD Guideline 401

LC50 inhalation toxicity : Species: cat Value: 6200 mg/m3

Skin corrosion/irritation : Species: Rabbit Classification: non-irritant

Serious eye damage/irritation : Nonirritant.

Respiratory or skin sensitization : Irritant

Germ cell mutagenicity : No data available

Carcinogenicity : IARC: No compo

: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Teratogenicity : No data available.

Reproductive toxicity : No data available.

Specific target organ toxicity(single

exposure)

No data available.

Specific target organ toxicity

(repeated exposure)

No data available.

Aspiration hazard : No data available.

Signs and Symptoms of Exposure : Not data available.

Synergistic effects : Not data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to Fish LC50 : >100 mg/l channel catfish fingerlings 96 h

Toxicity to Microorganisms EC10 : Species: in activated sludge Value: 155 mg/L Exposure time: 3 h

Toxicity to aquatic invertebrates EC50 : >100 mg/l Daphnia magna 48 h





Revisiondate:12/12/2023 Supersedes:27/11/2023 Revision: 1.3

12.2 Persistence and degradability

No Data Available.

12.3 Bio accumulative potential

No Data Available.

12.4 Mobility in soil

No Data Available.

12.5 Results of PBT and vPvB assessment

No Data Available.

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal required in compliance with all waste management related state and **Product disposal**

ALCOHOLS liquid, N.O.S. (3-Methoxy butanol)

local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal. Offer surplus and non-recyclable solutions to a licensed

disposal company.

Packaging: Dispose of as unused product.

SECTION 14: Transport Information

Marine transport (IMDG)

UN number UN1987

Proper shipping name and

description

3 Class Packaging group Ш Hazard Identification Number

EmS code F-E, S-D

Marine pollutant No

Air transport ICAO/IATA

UN number UN1987

Proper shipping name and

ALCOHOLS liquid, N.O.S. (3-Methoxy butanol) description

3 Class : Ш Packaging group Hazard Labels Environmentally hazardous No

Department of Transportation (DOT)

UN number UN1987

Proper shipping name and

description

ALCOHOLS liquid, N.O.S. (3-Methoxy butanol)





Supersedes:27/11/2023 Revision: 1.3 Revisiondate:12/12/2023

Class : 3
Packaging group : III

Reportable Quantity (RQ) : Not applicable

Poison Inhalation Hazard : No

: 3 - Flammable liquid

Hazard labels (DOT)



SECTION 15: Regulatory information

15.1.1 National regulations

Country	National Inventories	Listing
CANADA	DSL	Listed
CHINA	IECSC	Listed
JAPAN	ENCS	Listed
PHILIPPINES	PICCS	Listed
SOUTH KOREA	KECI	Listed
USA	TSCA	Listed
EUROPE	EINECS	Listed
NEWZEALAND	NZIoC	Listed
JAPAN	ISHL	Listed
AUSTRELIA	AICS	Listed


SECTION 16: Other information

16.1Hazard Statement

H227 : Flammable liquid Category 4

H303 : Acute toxicity - Oral, Category 5

16.2NFPA Rating







Supersedes:27/11/2023 Revision: 1.3 Revisiondate:12/12/2023

16.3Abbreviations and acronyms

PBT =Persistent Bioaccumulative and Toxic

vPvB= Very Persistent and Very Bioaccumulative

SCBA= Self Contained Breathing Apparatus

NIOSH REL= National Institute for Occupational Safety and Health: Recommended Exposure Limit

OSHA PEL=Occupational Safety and Health Adminstration Permissible Exposure Limit

OELTWA= Occupational Exposure Limit Time Weighted Averages

IDLH= Immediately Dangerous to Life or Health

UEL= Upper Explosive Limit

LEL= Lower Explosive Limit

RTECS= Registry of Toxic Effects of Chemical Substances

NTP=National Toxicology Programm

IARC= International Agency for Research on Cancer

EPA=Environmental Protection Agency

TSCA= Toxic Substances Control Act

NFPA= National Fire Protection Association

CSR=Chemical Safety Report

BCF = Bio Concentration Factor

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

TLV = Threshhold Limit Value

ACGIH = American Conference of Governmental Industrial Hygienist

REACH = Registration, Evaluation .Authorisation and Restriction of Chemicals

CLP = Classification, Labelling and Packaging

LD / LC = Lethal Doses / Lethal Concentration

GHS = Globally Harmonised System

ADR = Accord europeen relative au transport international de marchandises

IMDG-Code = International Maritime Code for Dangerous Goods

EmS = Emergency measures on Sea

ICAO = International Civil Aviation Organization

IATA/DGR= International Air Transport Association/Dangerous Goods Regulation

16.4 Further information:

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Godavari Biorefineries Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application