

# BIOBASED ETHYL ACETATE [NatueroEA®]

## Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

### SECTION 1: Identification

#### 1.1 Identification

Product form	: Substance
Substance name	: Biobased Ethyl Acetate [NatueroEA®]
CAS No	: 141-78-6
EC/ List No	: 205-500-4
Formula	: C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>
Molecular weight	: 88.11 g/mol
Synonyms	: Ethyl acetic ester, Ethyl ester, Ethyl ethanoate

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Industrial Solvent Pharmaceutical
Relevant identified uses	: Agrochemical
Uses advised against:	: Laboratory chemical

#### 1.3 Details of the supplier of the safety data sheet

Godavari Biorefineries Ltd.  
45/47, Somaiya bhavan,  
Mahatma Gandhi Road,  
Fort, Mumbai -400001, INDIA.  
T 0091 22 22048272  
Email: [alka@somaiya.com](mailto:alka@somaiya.com)  
[www.somaiya.com](http://www.somaiya.com)

#### 1.4 Emergency telephone Number

Emergency number	: 0091 2423 279308 0091 22 22048272 (Monday – Friday - 09.30 hrs to 18.00 hrs)
------------------	---

### SECTION 2: Hazard(s) identification

#### GHS classification

##### 2.1 Classification of the substance or mixture

Flammable liquids Category 2	: H225 Highly flammable liquid and vapour
Eye irritation, Category 2	: H319 Causes serious eye irritation
Specific target organ toxicity - single exposure Category 3	: H336 May cause drowsiness and dizziness.

##### 2.2: GHS labeling

#### Hazard pictograms (GHS)



GHS02



GHS07

#### Signal word (GHS)

: Danger

#### Hazard statements (GHS)

: H225-Highly flammable liquid and vapour  
H319-Causes serious eye irritation.  
H336-May cause drowsiness and dizziness

#### Precautionary statements (GHS)

: P210 -Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 -Keep container tightly closed.  
P240 -Ground and bond container and receiving equipment  
P241 -Use explosion-proof equipment  
P242 -Use non-sparking tools.  
P243 -Take actions to prevent static discharges  
P280 -Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

# BIOBASED ETHYL ACETATE [NatueroEA®]

## Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

Precautionary statements (GHS)

- : P370+P378 -In case of fire: Use water spray, foam, or carbon dioxide to extinguish.
- P403+P235 -Store in a well-ventilated place. Keep cool.
- P501- Dispose of contents/container to hazardous waste in accordance with local/regional/national/international regulations.
- P264 -Wash hands thoroughly after handling.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 -If eye irritation persists: Get medical advice/attention.
- P261 -Avoid breathing fume/mist/vapours/spray.
- P271 -Use only outdoors or in a well-ventilated area
- P304+P340 -IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 - Call a POISON CENTER if you feel unwell.
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
- P405 - Store locked up

### 2.3 Other hazards

Other hazards not contributing to the classification

: None.

### 2.4 Unknown acute toxicity (GHS US)

Not applicable.

## SECTION 3: Composition/Information on ingredients

### 3.1 Substance

Substance type	Mono-constituent		
Name	Product Identifier CAS No EC No Index No	Concentration %	GHS Classification
Biobased Ethyl Acetate [NatueroEA®] (Main constituent)	141-78-6 205-500-4 607-022-00-5	Min. 99.80	Flam. Liq. 2, H225; Eye Irrit. 2, H319 STOT SE 3, H336 EUH066

Full text of hazard classes and H-statements: see section 16

### 3.2 Mixture

Not applicable.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- First-aid measures general** : Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
- First-aid measures Inhalation** : Remove the victim into fresh air. Immediately consult a doctor/medical service.
- First-aid measures Skin contact** : Wash immediately with lots of water (15 minutes)/shower. Do not apply (chemical) neutralizing agents. Remove clothing while washing. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service.
- First-aid measures Eye contact** : Rinse immediately with plenty of water for 15 minutes. Do not apply neutralizing agents. Take victim to an ophthalmologist.
- First-aid measures Ingestion** : Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Do not give activated charcoal. Immediately consult a doctor/medical service. Ingestion of large quantities: immediately to hospital. Do not give chemical antidote. Doctor: gastric lavage is not recommended.

# BIOBASED ETHYL ACETATE [NatueroEA®]

## Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	:	Irritation of the respiratory system. Vapours may cause headache, fatigue, dizziness and nausea. In higher concentrations, central nervous system depression and coma.
Symptoms/injuries after skin contact	:	Acute: May irritate the skin. Delayed: Skin dryness and dermatitis
Symptoms/injuries after eye contact	:	Acute: Irritating to eyes. Delayed: May cause damage to the eyes.
Symptoms/injuries after ingestion	:	Acute: Nausea, vomiting. Delayed: Similar effects as inhalation
Chronic symptoms	:	On continuous / repeated exposure: Dermatitis, damage of the eye tissue. central nervous system depression and coma.

### 4.3 Indication of any immediate medical attention and special treatment needed

Seek medical assistance.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media	:	Water spray. Polyvalent foam. Alcohol-resistant foam. BC powder. Carbon dioxide.
Unsuitable extinguishing media	:	No unsuitable extinguishing media known.

### 5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour	:	DIRECT FIRE HAZARD. Flammable. Gas/vapor flammable with air within explosion limits. INDIRECT FIRE HAZARD. May be ignited by sparks
Explosion Hazard	:	DIRECT EXPLOSION HAZARD. Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD. may be ignited by sparks
Hazardous combustion products	:	No data available
Reactivity	:	On heating: release of corrosive/combustible gases/ vapours. Upon combustion: CO and CO2 are formed. Violent to explosive reaction with many compounds e.g.: with (strong) oxidizers:

### 5.3 Advice for firefighters

Firefighting instructions	:	Cool tanks/drums with water spray/remove them into safety location. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection.

### 5.4 Additional information

No Data Available.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Protective equipment	:	Gas-tight chemical suit. Corrosion-proof suit. Refer "Material-Handling" to select protective clothing.
Emergency procedures	:	Keep upwind. Mark the danger area. Consider evacuation. Seal off low-lying areas. Close doors and windows of adjacent premises. Stop nearby engines and no smoking. No naked flames or sparks. Use Spark- and explosion-proof appliances and lighting equipment. Keep containers closed. Wash contaminated clothes.

#### For emergency responders

Protective equipment	:	Equip cleanup crew with proper protection.
Emergency procedures	:	Stop leak if safe to do so. Ventilate area.

# BIOBASED ETHYL ACETATE [NatueroEA®]

## Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

### 6.2 Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers, water bodies.

### 6.3 Methods and material for containment and cleaning up

- |                         |   |  |
|-------------------------|---|--|
| For containment         | : | Contain released substance, transfer (pump) into suitable containers. Use compatible material of containers. Try to reduce evaporation. Measure the concentration of the explosive gas-air mixture. Dilute combustible/toxic gases/vapours with water spray. Provide equipment/receptacles with earthing. Do not use compressed air for pumping over spills. |
| Methods for cleaning up | : | Take up liquid spill into inert absorbent material, e.g.: sand, earth, vermiculite, powdered limestone. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/ authorized disposal facility. Wash clothing and equipment after handling.                               |

### 6.4 Reference to other sections

No additional information available.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- |                               |   |   |
|-------------------------------|---|---|
| Precautions for safe handling | : | <p>Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep the substance free from contamination. Use corrosion proof equipment. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Do not use compressed air for pumping over. Use spark-/explosionproof appliances and lighting system.</p> <p>Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Keep container tightly closed.</p> <p>Measure the concentration in the air regularly. Work under local exhaust/ventilation. Exhaust gas must be neutralised.</p> |
| Hygiene measures              | : | Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.  |

### 7.2 Conditions for safe storage, including any incompatibilities

- |                               |   |  |
|-------------------------------|---|--|
| Heat-ignition                 | : | KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.  |
| Prohibitions on mixed storage | : | KEEP SUBSTANCE AWAY FROM: combustible materials. oxidizing agents. (strong) bases. metals. alcohols. amines. water/moisture.   |
| Storage Conditions            | : | Storage should be in a cool location away from direct sunlight. Keep the container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. |
| Special rules on packaging    | : | SPECIAL REQUIREMENTS: closing. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.   |
| Packaging materials           | : | SUITABLE MATERIAL: Aluminum, glass. MATERIAL TO AVOID: steel. iron. zinc. lead. copper. bronze.  |

### 7.3 Specific end uses

Part from the uses mentioned in section 1.2 no other specific uses are stipulated

# BIOBASED ETHYL ACETATE [NatueroEA®] Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025






## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Biobased Ethyl Acetate [NatueroEA®] (141-78-6)

ACGIH	ACGIH TWA (ppm)	400 ppm
ACGIH	ACGIH STEL (ppm)	15 ppm (Acetic acid; USA; Short time value; TLV – Adopted Value)
OSHA	OSHA PEL (TWA) (mg/m³)	1400 mg/m³ (8 Hr)
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
IDLH	US IDLH (ppm)	2000 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	1400 mg/m³ (10 hr)
NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	37 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	15 ppm

### 8.2 Exposure controls

Appropriate engineering controls	:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Material should be handled safely.
Personal protective equipment	:	     Protective goggles. Gloves. Protective clothing. Face shield. Gas mask with filter.
Materials for protective clothing	:	GIVE EXCELLENT RESISTANCE: butyl rubber. polyethylene/ethylene vinyl alcohol. viton. GIVE GOOD RESISTANCE: neoprene. GIVE LESS RESISTANCE: natural rubber. PVC. GIVE POOR RESISTANCE: polyethylene. PVA.
Hand protection	:	Gloves.
Eye protection	:	Safety glasses.
Skin and body protection	:	Head/neck protection. Corrosion-proof clothing.
Respiratory protection	:	Wear gas mask with filter type A if conc. in air > exposure limit. High vapour/ gas concentration: self-contained respirator.
Thermal hazard protection	:	None.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Liquid
Colour	:	Colorless
Odour	:	Fruity odour, 3.9 ppm(Threshold limit)
pH	:	No Data Available
Melting point	:	-84 °C
Freezing point	:	No Data Available
Initial boiling point/boiling range	:	77 °C
Flash Point	:	-4.5 °C (Closed cup)
Relative evaporation rate	:	2.4
Relative density	:	0.9003 (20 °C)

# BIOBASED ETHYL ACETATE [NatueroEA®] Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

Relative vapour density at 20°C	:	3.0
Specific gravity/ density	:	0.902 kg/m³
Molecular mass	:	88.11 g/mol
Flammability(Solid, Gas)	:	No data available
Upper/lower flammability or Explosive limit	:	No Data Available
Solubility	:	80 g/l (80,000 mg/L) Soluble in water, acetone, benzene.
Vapor pressure	:	10.3 kPa at 21 °C
Vapour density	:	No Data Available
Evaporation Rate	:	No Data Available
Partition coefficient n-octanol/water	:	0.68 (Experimental value; 25 °C, n-octanol water)
Auto-ignition temperature	:	427 °C
Decomposition temperature	:	No Data Available
Viscosity	:	1.168 cSt(Kinematic), 0.45 mPa (25°C )(Dynamic)
Explosive Limits	:	2 – 11.5 vol %
Oxidizing properties	:	No Data Available

## 9.2 Other information

Surface Tension	:	24 mN/m (30°C)
VOC content	:	100 %
Other properties	:	Gas/vapour heavier than air at 20°C. distant ignition possible. Volatile. Slowly decomposed in presence of water.

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity</b>	:	On heating: release of Toxic/combustible gases/vapours . Upon combustion: CO and CO2 are formed. Violent to explosive reaction with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion. Reacts violently with (some) bases. Reacts with (some) metals: release of highly flammable gases/vapours (hydrogen).
<b>10.2 Chemical Stability</b>	:	Hygroscopic.
<b>10.3 Possibility of hazardous reactions</b>	:	Reacts violently with (some) bases: release of heat.
<b>10.4 Conditions to avoid</b>	:	Extremely high or low temperatures. Incompatible materials.
<b>10.5 Incompatible materials</b>	:	May react violently with alkalis. May react with bases, copper, silver, mercury, magnesium, zinc and their alloys.
<b>10.6 Hazardous decomposition products</b>	:	Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Likely routes of exposure	:	Inhalation; Skin and eye contact
Acute toxicity	:	Not classified

Biobased Ethyl Acetate [NatueroEA®] (141-78-6)		
LD50 oral toxicity	:	5620 mg/kg body weight (Rabbit )
LD50 dermal toxicity	:	>20000 mg/kg body weight (Rabbit)
LC50 inhalation toxicity	:	22.5 mg/L Exposure time: 6 h (Rat)

Skin corrosion/irritation	:	Nonirritant.
Serious eye damage/irritation	:	Irritant. Tests on rabbits, OECD Guideline 405, Acute eye Irritation / Corrosion.



# BIOBASED ETHYL ACETATE [NatueroEA®] Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

Respiratory or skin sensitization	:	Guinea pig maximization test (GPMT) - Guinea pig: OECD Guideline 406 (Skin sensitization). Not sensitizing
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	No Not classified
Specific target organ toxicity (single exposure)	:	May cause drowsiness or dizziness
Specific target organ toxicity (repeated exposure)	:	No Not classified
Aspiration hazard	:	No Not classified

## SECTION 12: Ecological information

### 12.1 Toxicity

Ecology - general	:	Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.
Ecology - air	:	Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). Not included in the list of substances which may contribute to the greenhouse effect (Regulation (EC) No 842/2006). TA-Luft Klasse 5.2.5/II..
Ecology – water	:	Moderately toxic to fishes and inhibit growth in aquatic plant.

### Biobased Ethyl Acetate [NatueroEA®] (141-78-6)

	Toxicity to Fish	Toxicity to aquatic invertebrates	Toxicity to aquatic plants	Toxicity to Microorganisms
Species	Pimephales promelas (Fat-head Minnow)	Daphnia magna	Scenedesmus subspicatus	Photobacterium phosphoreum
Value	220 mg/l	3090 mg/l	>100 mg/l	5870 mg/l
Exposure time	96 h	24 h	72hrs	2 hrs.

### 12.2 Persistence and degradability

#### Biobased Ethyl Acetate [NatueroEA®] (141-78-6)

Persistence and degradability	:	Readily biodegradable in water. Biodegradable in the soil. High mobility in soil.
-------------------------------	---	---

### 12.3 Bioaccumulative potential

Bio-accumulative potential	:	Bioaccumulation unlikely.
----------------------------	---	---------------------------

### 12.4 Mobility in soil

Ecology – soil	:	High mobility in soil.
----------------	---	------------------------

### 12.5 Other adverse effects

No additional information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste disposal recommendations	:	Remove and dispose waste in accordance with local and/or national regulations. Recommended practice of distillation, physico-chemical/biological treatment and authorized waste incinerator for solvents with energy recovery. Do not discharge into drains or the environment.
--------------------------------	---	---

## SECTION 14 : TRANSPORT INFORMATION

### Marine transport (IMDG)

UN number	:	1173
Proper shipping name and description	:	Biobased Ethyl Acetate [NatueroEA®]
Class	:	3

# BIOBASED ETHYL ACETATE [NatueroEA®]

## Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

Packaging group : II  
Hazard Identification Number : 33  
EmS code : F-E, S-D  
Marine pollutant : No

### Air transport ICAO/IATA

UN number : 1173  
Proper shipping name and description : Biobased Ethyl Acetate [NatueroEA®]  
Class : 3  
Packaging group : II  
Hazard Labels : Corrosive and Flammable liquid  
Environmentally hazardous : No

### Department of Transportation (DOT)

UN Number : UN1173  
Proper Shipping Name : Biobased Ethyl Acetate [NatueroEA®]  
Transport hazard class : 3  
Packing group : II  
Reportable Quantity (RQ) : 1000 lbs  
Poison Inhalation Hazard : No  
Hazard labels :



3 - Flammable liquid

## SECTION 15: Regulatory information

### 15.1 National regulations

#### Biobased Ethyl Acetate [NatueroEA®] (141-78-6)

Country	National Inventories	Listing
AUSTRALIA	AICS	Listed
CANADA	DSL	Listed
CHINA	IECSC	Listed
EUROPE	EC	Listed
JAPAN	ENCS	Listed
NEWZEALAND	NZIoC	Listed
PHILIPPINES	PICCS	Listed
SOUTH KOREA	KECI	Listed
TAIWAN	TCSI	Listed
USA	TSCA	Listed

## SECTION 16: Other information

### 16.1 Hazard Statement

H225 : Highly flammable liquid and vapour  
H319 : Causes serious eye irritation  
H336 : May cause drowsiness and dizziness.



# BIOBASED ETHYL ACETATE [NatueroEA®]


## Safety Data Sheet

Supersedes: 18/01/2025

Revision: 1.6

Revision date: 22/05/2025

### 16.2 NFPA Rating



### 16.3 Abbreviations and acronyms

- : PBT =Persistent Bioaccumulative and Toxic
- vPvB= Very Persistent and Very Bioaccumulative
- SCBA= Self Contained Breathing Apparatus
- NIOSH REL= National Institute for Occupational Safety and Health Recommended Exposure Limit
- OSHA PEL=Occupational Safety and Health Administration Permissible Exposure Limit
- OELTWA= Occupational Exposure Limit Time Weighted Averages
- IDLH= Immediately Dangerous to Life or Health
- UEL= Upper Explosive Limit
- LEL= Lower Explosive Limit
- RTECS= Registry of Toxic Effects of Chemical Substances
- NTP=National Toxicology Programm
- IARC= International Agency for Research on Cancer
- EPA=Environmental Protection Agency
- TSCA= Toxic Substances Control Act
- NFPA= National Fire Protection Association
- CSR=Chemical Safety Report
- BCF = Bio Concentration Factor
- DNEL = Derived No Effect Level
- PNEC = Predicted No Effect Concentration
- TLV = Threshold Limit Value
- ACGIH = American Conference of Governmental Industrial Hygienist
- REACH = Registration, Evaluation .Authorisation and Restriction of Chemicals
- CLP = Classification, Labelling and Packaging
- LD / LC = Lethal Doses / Lethal Concentration
- GHS = Globally Harmonised System
- ADR = Accord europeen relative au transport international de marchandises
- IMDG-Code = International Maritime Code for Dangerous Goods
- EmS = Emergency measures on Sea
- ICAO = International Civil Aviation Organization
- IATA/DGR= International Air Transport Association/Dangerous Goods Regulation

### 16.4 Further information:

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Godavari Biorefineries Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application