



Godavari					
Supersedes: 02/05/2022		Revision: 1.2	Revision date: 12/12/2023	Biorefineries Ltd	
SECTION 1: Identification					
1.1 Identification					
Product form	:	Substance			
Substance name	:	Acetic Acid			
CAS No	:	64-19-7			
EC/ List No	:	200-580-7			
Formula	:	$C_2H_4O_2$			
Molecular weight	:	60.05 g/mol			
Synonyms	:		alcohol of vinegar / carboxylic acid / methane carboxylic acid / pyroli ed Acetic Acid		
1.2 Relevant identified uses of the substance o	or miz	xture and uses advise	d against		
Use of the substance/mixture	:	Chemical intermediate Agrochemical Food industry: additive Laboratory chemical F			
1.3 Details of the supplier of the safety data she	eet				
Godavari Biorefineries Ltd. 45/47, Somaiya bhavan, Mahatma Gandhi Road, Fort, Mumbai -400001, INDIA. T 0091 22 22048272 Email: <u>alka@somaiya.com</u>					
www.somaiya.com 1.4 Emergency telephone Number					
Emergency number	:	0091 2423 279308 0091 22 22048272 (M	londay – Friday - 09.30 hrs to 18.00	hrs)	
SECTION 2: Hazard(s) identification					
GHS classification					
2.1 Classification of the substance or mixture		11000			
Flammable liquids Category 3	•	H226			
Skin corrosion/irritation Category 1B 2.2: GHS labeling	•	H314			
Hazard pictograms (GHS)		GHS02	GHS05		
Signal word (GHS)	:	Danger			
Hazard statements (GHS)					
Н226	:	Flammable liquid and	vapor.		
H290	:	May be corrosive to m			
H314	:	-	urns and eye damage.		
H318	:	Causes serious eye d			
H332	:	Harmful if inhaled.			
H412			with long lasting effects.		
-	-				



Inhalation



			,	Godavari
Supersedes: 02/05/	2022		Revision: 1.2	Revision date: 12/12/2023
Precautionary State	ments:			
P210		:	Keep away from he	eat, sparks, open flames, hot surfaces No smoking
P242		:	Use only non-spark	ting tools
P260		:	Do not breathe mis	t, vapors, spray
P280		:	Wear protective protection.	clothing, protective gloves, eye protection, face
P303 + P361 + P353		:	IF ON SKIN (or had clothing. Rinse skir	air): Remove/Take off immediately all contaminated with water/shower
P403 + P235		:	Store in a well-vent	ilated place. Keep cool
P405		:	Store locked up	
P501		:	Dispose of content regulations	s/container to comply with local, state and federal
P301 + P330 + P331		:	If swallowed: Rinse	e mouth. Do not induce vomiting.
P304 + P340		:	If inhaled: Remove comfortable for bre	victim to fresh air & keep at rest in a position athing.
P305 + P351 + P338		:	In eyes: rinse ca remove contact len	utiously with water for several minutes, ses, if present
2.3 Other hazards				
Other hazards not con Classification	ntributing to the	:	None.	
2.4 Unknown acute	toxicity (GHS)			
Not applicable.				
SECTION 3: Comp	osition/Information on	ingre	edients	
3.1 Substance: Mon				
Name	Product identifier CAS No EC No Index No		Concentration %	GHS classification
Acetic Acid (Main constituent)	64-19-7 200-580-7 607-002-00-6	≥9	9.5	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318
Full text of hazard cla	sses and H-statements: se	e secti	on 16	
3.2 Mixture				
Not applicable				
SECTION 4: First	aid measures			
4.1 Description of fin	st aid measures			
General information	:			ns. Unconscious: maintain adequate airway and arrest: artificial respiration or oxygen. Give

		al aid. Keep	the victin	n calm, avc	respiration bid physical s		
:	Remove the service.	e victim into	o fresh	air. Immed	liately consu	lt a doctor	/medical

- Skin contact
 : Wash immediately with lots of water (15 minutes)/shower. Do not apply (chemical) neutralizing agents. Remove clothing while washing. Do not remove clothing if it sticks to the skin. Cover wounds with sterile bandage. Consult a doctor/medical service.
- Eye contact
 : Rinse immediately with plenty of water for 15 minutes. Do not apply neutralizing agents. Take victim to an ophthalmologist.





Safety Data Sheet

Supersedes: 02/05/2022		Revision: 1.2	Revision date: 12/12/2023 Biorefineries Ltd			
Ingestion	:	Rinse mouth with water. Immediately after ingestion: give lots of water t drink. Do not induce vomiting. Do not give activated charcoal. Immediatel consult a doctor/medical service. Ingestion of large quantities: immediately t hospital. Do not give chemical antidote. Doctor: gastric lavage is no recommended.				
Symptoms/injuries after inhalation	:	Irritation of the respiratory tract and nasal mucous membranes. Coughing.				
Symptoms/injuries after skin contact	:	Corrosion of the skin.				
Symptoms/injuries after eye contact	:	Corrosion of the eye tissue. Permanent eye damage.				
Symptoms/injuries after ingestion	:	Burns to the gastric/intestinal n	nucosa. Risk of aspiration pneumonia			
Chronic symptoms	:	On continuous / repeated Inflammation/damage of the inflammation of the respiratory				

4.2 Most important symptoms and effects, both acute and delayed

No Data Available.

4.3 Indication of any immediate medical attention and special treatment needed

Seek medical assistance.

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	: Water spray. Polyvalent foam. Alcohol-resistant foam. BC powder. Carbon dioxide.
Unsuitable extinguishing media	No unsuitable extinguishing media known.
5.2 Special hazards arising from the su	ostance or mixture
Flammable liquid and vapour.	: DIRECT FIRE HAZARD. Flammable. Gas/vapor flammable with air within explosion limits. INDIRECT FIRE HAZARD. May be ignited by sparks.
Hazardous combustion products	: DIRECT EXPLOSION HAZARD. Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD. may be ignited by sparks
Reactivity	: On heating: release of corrosive/combustible gases/vapours (acetic acid vapours). Upon combustion: CO and CO2 are formed. Violent to explosive reaction with many compounds e.g.: with (strong) oxidizers:
5.3 Advice for firefighters	
Firefighting instructions	: Cool tanks/drums with water spray/remove them into safety location. Do not move the load if exposed to heat. Dilute toxic gases with water spray. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
5.4 Additional information	
No Data Available.	
SECTION 6: Accidental release mea	sures
6.1 Personal precautions, protective ed	uipment and emergency procedures
6.1.1 For non-emergency personnel	
Protective equipment	: Gas-tight chemical suit. Corrosion-proof suit. Refer "Material-Handling" to select protective clothing.





	•		Godavar
Supersedes: 02/05/2022	Revision: 1.2	Revision date: 12/12/2023	Biorefineries Lto
Emergency procedures	lying areas. Close do engines and no smo	he danger area. Consider evacuation. ors and windows of adjacent premises. king. No naked flames or sparks. Use ances and lighting equipment. Kee lothes.	Stop nearby Spark- and
6.1.2 For Emergency responders			
Protective equipment	: Equip cleanup crew w	ith proper protection.	
Emergency procedures	: Stop leak if safe to do	so. Ventilate area.	
6.2 Environmental precautions			

6.2 Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers, water bodies

6.3 Methods and material for containment and cleaning up					
For containment	: Contain released substance, transfer (pump) into suitable containers. Use compatible material of containers. Try to reduce evaporation. Measure the concentration of the explosive gas-air mixture. Dilute combustible/toxic gases/vapours with water spray. Provide equipment/receptacles with earthing. Do not use compressed air for pumping over spills.				
Methods for cleaning up	: Take up liquid spill into inert absorbent material, e.g.: sand, earth, vermiculite, powdered limestone. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/ authorized disposal facility. Wash clothing and equipment after handling.				

6.4 Reference to other sections

No additional information available.

SECTION 7: Handling and storage		
7.1 Precautions for safe handling		
Precautions for safe handling	:	Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep the substance free from contamination. Use corrosion proof equipment. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Do not use compressed air for pumping over. Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Keep container tightly closed. Measure the concentration in the air regularly. Work under local exhaust/ventilation. Exhaust gas must be neutralised.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2 Conditions for safe storage, includin	g any	incompatibilities
Storage temperature	:	> 17 °C
Heat-ignition	:	KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
Prohibitions on mixed storage	:	KEEP SUBSTANCE AWAY FROM: combustible materials. oxidizing agents. (strong) bases. metals. alcohols. amines. water/moisture.
Storage area	:	Store in a dry area. Ventilation at floor level. Keep out of direct sunlight. Fireproof storeroom. Keep locked up. Meet the legal requirements.
Special rules on packaging	:	SPECIAL REQUIREMENTS: closing. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.





Supersedes: 02/05/2022

Revision: 1.2

Packaging materials

SUITABLE MATERIAL: aluminium. glass. MATERIAL TO AVOID: steel. iron. zinc. lead. copper. bronze.

Revision date: 12/12/2023

7.3 Specific end uses

Part from the uses mentioned in section 1.2 no other specific uses are stipulated.

:

SECTION 8: Exposure controls/pe	erso	nal protection	
8.1 Control parameters			
8.1.1 Occupational exposure limits:			
Acetic Acid (64-19-7)			
ACGIH	:	ACGIH TWA (ppm)	10 ppm (Acetic acid; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	:	ACGIH STEL (ppm)	15 ppm (Acetic acid; USA; Short time value; TLV - Adopted Value)
OSHA	:	OSHA PEL (TWA) (mg/m ³)	25 mg/m³
OSHA	:	OSHA PEL (TWA) (ppm)	10 ppm
IDLH	:	US IDLH (ppm)	50 ppm
NIOSH	:	NIOSH REL (TWA) (mg/m ³)	25 mg/m³
NIOSH	:	NIOSH REL (TWA) (ppm)	10 ppm
NIOSH	:	NIOSH REL (STEL) (mg/m ³)	37 mg/m³
NIOSH	:	NIOSH REL (STEL) (ppm)	15 ppm
8.2 Exposure controls			
8.2.1 Appropriate engineering controls			untains and safety showers should be available in of any potential exposure. Material should be
Personal protective equipment			
		Protective goggles. Glove	es. Protective clothing. Face shield. Gas mask with filter.
Materials for protective clothing		vinyl alcohol. viton. GIV	SISTANCE: butyl rubber. polyethylene/ethylene E GOOD RESISTANCE: neoprene. GIVE LESS rubber. PVC. GIVE POOR RESISTANCE:
Hand protection		: Gloves.	
Eye protection		: Safety glasses.	
Skin and body protection		: Head/neck protection. Co	prrosion-proof clothing.
Respiratory protection			ter type A if conc. in air > exposure limit. High n: self-contained respirator.
Thermal hazard protection		: None.	
SECTION 9: Physical and chemica	al pr	operties	
9.1 Information on basic physical and	l che	emical properties	
Physical state		: Liquid	
Appearance		: Liquid	
Colour		: Colourless	





				Godavari
Supersedes: 02/05/2022		Revision: 1.2	Revision date: 12/12/2023	Biorefineries Ltd
Odour	:	Irritating/pungent odour		
рН	:	2.4 (6 %)		
Melting point	:	16.64 °C		
Freezing point	:	No Data Available		
Initial boiling point/boiling range	:	117.9 °C		
Flash Point	:	39 °C (Closed cup)		
Relative evaporation rate	:	No Data Available		
Relative density	:	1.0496 (27 °C)		
Relative vapour density at 20°C	:	2.1		
Specific gravity/ density	:	1049 kg/m³		
Molecular mass	:	60.05 g/mol		
Flammability(Solid, Gas)	:	No Data Available		
Upper/lower flammability or Explosive limit	:	4 – 19.9 vol %		
Solubility	:	Soluble in water, ethanol, ether	r, acetone and glycerol.	
Vapor pressure	:	No Data Available		
Vapour density	:	No Data Available		
Evaporation Rate	:	No Data Available		
Partition coefficient n-octanol/water	:	-0.17 (Experimental value; 20 °	C, n-octanol water)	
Auto-ignition temperature	:	463 °C		
Decomposition temperature	:	No Data Available		
Viscosity	:	1.168 cSt(Kinematic), 1.056 ml	Pa (25°C)(Dynamic)	
Oxidizing properties	:	No Data Available		
9.2 Other information				
No data available.				
SECTION 10: Stability and reactivity				
10.1 Reactivity	:	vapours). Upon combustion: C reaction with many compounds of fire/explosion. Reacts viole	sive/combustible gases/vapours CO and CO2 are formed. Violen s e.g.: with (strong) oxidizers: (in ntly with (some) bases. Reacts hable gases/vapours (hydrogen).	t to explosive hcreased) risk
10.2 Chemical Stability	:	Hygroscopic.		
10.3 Possibility of hazardous reactions	:	Reacts violently with (some) ba	ases: release of heat.	
10.4 Conditions to avoid	:	Extremely high or low temperate	tures. Incompatible materials.	
10.5 Incompatible materials	:	May react violently with alka mercury, magnesium, zinc and	alis. May react with bases, c their alloys.	opper, silver,
10.6 Hazardous decomposition products	:	Carbon dioxide. Carbon mono	kide.	





Supersedes: 02/05/2022		Revision	: 1.2	Revision date: 12/	12/2023	Biorefineries Ltd
SECTION 11: Toxicological in						
11.1 Information on toxicologica		Inheletion, Okin		-4		
Likely routes of exposure	:	Inhalation; Skin	and eye contac	21		
Acute toxicity	:	Not classified				
Acetic Acid (64-19-7)						
LD50 oral toxicity	:	3310 mg/kg boo	dy weight (Rat)			
LD50 dermal toxicity	:	1120 mg/kg boo	dy weight (Rabb	pit)		
LC50 inhalation toxicity	:	> 16000ppm, eo Exposure time:		0 mg/L		
Skin corrosion/irritation	:	Causes severe	skin burns and	eye damage. pH: 2.4	(6 %)	
Serious eye damage/irritation	:	Causes serious	eye damage.			
Respiratory or skin sensitization	:	pH: 2.4 (6 %)				
Germ cell mutagenicity	:	Not classified				
Carcinogenicity	:	Not classified				
(Based on available data, the class	sification criteria	a are not met)				
Reproductive toxicity	:	Not classified				
Specific target organ toxicity (single exposure)	e :	Not classified				
Specific target organ toxicity (reperexposure)	ated :	Not classified				
Aspiration hazard	:	Not classified				
SECTION 12: Ecological info	rmation					
12.1 Toxicity						
Ecology – general	:	Not classified a Regulation (EC)		or the environment ac 3.	cording to	the criteria of
Ecology – air	:	1005/2009). No	t included in the	for the ozone layer e list of substances w lation (EC) No 842/2	hich may c	ontribute to
Ecology – water	:	Slightly harmful algae	I to fishes and	d invertebrates (Dapł	nnia). Not	harmful to
Acetic Acid (64-19-7)						
Т	oxicity to Fish		Toxicity to aq	uatic invertebrates	Toxicity to Microorga	

		Toxicity to Fish	Toxicity to aquatic invertebrates	Toxicity to Microorganisms
Species	:	Oncorhynchus mykiss (previous name: Salmo gairdneri)	Daphnia magna	Pseudomonas putida
Value	:	>300.82 mg/l	>300.82 mg/l	850mg/l
Exposure time	:	96 h	48 h	16h





		-		Godavar	
Supersedes: 02/05/2022		Revision: 1.2	Revision date: 12/12/2023	Biorefineries Ltd	
12.2 Persistence and degradability					
Acetic Acid (64-19-7) Persistence and degradability		Roodily biodogradable in wat	ar Piadagradable in the sail Highly	mobile in soil	
	•	: Readily biodegradable in water. Biodegradable in the soil. Highly mobile in the soil.			
12.3 Bioaccumulative potential					
Acetic Acid (64-19-7)	- 1	3.16 (BCF; Pisces)			
BCF fish 1	:				
Log Pow	:		-0.17 (Experimental value; 25 °C)		
Bioaccumulative potential	:	Low potential for bioaccumulation (Log Kow < 4).			
12.4 Mobility in soil					
Acetic Acid (64-19-7)					
Surface tension	:	0.028 N/m (20 °C)			
Log Koc	:	log Koc,0.06; QSAR			
Ecology - soil	:	May be harmful to plant growth, blooming and fruit formation.			
No data available					
12.5 Results of PBT and vPvB asses	sment				
No data available.					
12.6 Other adverse effects					
No data available.					
SECTION 13: Disposal consideration	tions				
13.1 Waste treatment methods					
Waste disposal recommendations	:	regulations. Recommer chemical/biological treatme	nste in accordance with local a nded practice of distillatio ont and authorized waste incinerate ot discharge into drains or the enviro	n, physico or for solvents	
SECTION 14 : TRANSPORT INFO	RMAT	ION			
Marine transport (IMDG)					
UN number		UN 2789			
Proper shipping name and description		Acetic Acid			
Chemical name Class		Acetic Acid			
Packaging group		: 8 (3) : II			
Hazard Identification Number	:	8, 3			
EmS code Marine pollutant	:	F-E, S-C No			
Air transport ICAO/IATA					
UN number		UN 2789			
Proper shipping name and description	1	Acetic Acid			






Supersedes: 02/05/2022		Revision: 1.2	Revision date: 12/12/2023	Biorefineries Ltd
Hazard Labels	:	Corrosive and Flammable liquid		
Environmentally hazardous	:	No		
Department of Transportation (DOT)				
UN number	:	UN 2789		
Proper shipping name	:	Acetic Acid with more than 80	percent acid, by mass	
Transport hazard class	:	8 - Class 8 - Corrosive materi	al 49 CFR 173.136	
Packing group	:	II - Medium Danger		
Reportable Quantity (RQ)	:	1000 lbs		
Poison Inhalation hazard	:	No		
Hazard labels	:	3 - Flammable liquid	8 – Corrosive	

SECTION 15: Regulatory information

15.1 National regulations				
Country	National Inventories	Listing		
AUSTRALIA	AICS	Listed		
CANADA	DSL	Listed		
CHINA	IECSC	Listed		
EUROPE	EC	Listed		
JAPAN	ENCS	Listed		
NEWZEALAND	NZIoC	Listed		
PHILIPPINES	PICCS	Listed		
SOUTH KOREA	KECI	Listed		
TAIWAN	TCSI	Listed		
USA	TSCA	Listed		

TION 16: Other information

16.1 Hazard Statement		
H226	:	Flammable liquid and vapor.
H290	:	May be corrosive to metals.
H314	:	Causes severe skin burns and eye damage.
H318	:	Causes serious eye damage.
H332	:	Harmful if inhaled.
H412	:	Harmful to aquatic life with long lasting effects.
16.2 NFPA Rating		







Supersedes: 02/05/2022	Revision: 1.2	Revision date: 12/12/2023	GOGAVAII Biorefineries Ltd
16.3 Abbreviations and acronyms			
:	PBT =Persistent Bioaccumul	ative and Toxic	
	vPvB= Very Persistent and V	erv Bioaccumulative	
	SCBA= Self Contained Breathing Apparatus NIOSH REL= National Institute for Occupational Safety and Health Recommended Exposure Limit		
		afety and Health Adminstration P	ermissible
	Exposure Limit	,	
		oosure Limit Time Weighted Aver	ages
	IDLH= Immediately Dangerous to Life or Health UEL= Upper Explosive Limit		
	LEL= Lower Explosive Limit		
	RTECS= Registry of Toxic Effects of Chemical Substan		
	NTP=National Toxicology Pro	ogramm	
	IARC= International Agency	for Research on Cancer	
	EPA=Environmental Protection	on Agency	
	TSCA= Toxic Substances Co	ontrol Act	
	NFPA= National Fire Protect	ion Association	
	CSR=Chemical Safety Report	rt	
	BCF = Bio Concentration Fac	ctor	
	DNEL = Derived No Effect Le	evel	
	PNEC = Predicted No Effect Concentration TLV = Threshhold Limit Value ACGIH = American Conference of Governmental Industrial Hygien REACH = Registration, Evaluation .Authorisation and Restriction o Chemicals CLP = Classification, Labelling and Packaging LD / LC = Lethal Doses / Lethal Concentration GHS = Globally Harmonised System		
	ADR = Accord europeen rela	tive au transport international de	ł
	marchandises		
	IMDG-Code = International M	Aritime Code for Dangerous Go	ods
	EmS = Emergency measures	s on Sea	
	ICAO = International Civil Av	U	
	IATA/DGR= International Air Transport Association/Dangero		
	Regulation		

16.4 Further information:

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Godavari Biorefineries Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.