



Revision: 1.1 Revision date: 24/01/2024 Supersedes: 19/04/2023

SECTION 1: Identification

1.1 Identification

Molecular weight

Product form Substance Substance name Ethyl-L-Lactate CAS No 687-47-8 211-694-1 EC/List No C₅H₁₀O₃ Formula

118.13 g/mol Synonyms Ethyl (S)-2-hydroxypropionate, Ethyl-S-Lactate, (2S)-2-ethoxypropanoic

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricants and greases, biocides (e.g. disinfectants, pest control products), coating products, pH regulators and water treatment products, fragrances and air fresheners, pulp and paper products, electrical, electronic and optical equipment, textile processing aid, Manufacture of substances.

1.3 Details of the supplier of the safety data sheet

Godavari Biorefineries Ltd. 45/47, Somaiya bhavan, Mahatma Gandhi Road, Fort, Mumbai -400001, INDIA. T 0091 22 61702100/22048272 Email: alka@somaiya.com www.somaiya.com

1.4 Emergency telephone Number

Emergency number 91-08350) 260046 /47 /48

0091 22 61702100/22048272 (Monday - Friday -09.30 hrs to 18.00 hrs)

SECTION 2: Hazard(s) identification

GHS classification

2.1 Classification of the substance or mixture

H226 Flammable liquid and vapor. Flammable Liquids 3

Eve Damage 1 H318 Causes serious eye damage. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

2.2 GHS labeling

Hazard pictograms





Signal word GHS02 GHS05 GHS07

Hazard statements Danger

Precautionary statements P210: Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fume/gas/mist/vapors/spray

P271: Use only outdoors or in a well-ventilated area.





Supersedes: 19/04/2023 Revision: 1.1 Revision date: 24/01/2024

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

P370+P378: In case of fire: Use CO2, powder or water spray to extinguish.

P403+P233 : Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Other hazards not contributing to the classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

2.4 Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/Information on ingredients

3.1 Substance

Substance type : Mono-constituent				
Name	Product identifier CAS No EC No Index No	Concentration %	GHS classification	
Ethyl (S)-2- hydroxypropionate (Main constituent)	687-47-8 211-694-1 607-129-00-7	≥ 99 %	Flam. Liq. 3-H226; Eye Dam. 1-H318; STOT SE 3 -H335	

Full text of hazard classes and H-statements: see section 16

3.2 Mixture

None

SECTION 4: First aid measures

4.1 Description of first aid measures

General information : Consult a physician. Show this safety data sheet to the doctor in attendance.

Do not leave affected persons unattended.

First aid personnel should pay attention to their own safety.

First aid personner should pay attention to their own salety.

Inhalation : If breathed in, move person into fresh air. If not breathing, give artificial

respiration. Keep warm at rest.

Skin contact : Flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes.

Wash clothing before reuse.





Supersedes: 19/04/2023 Revision: 1.1 Revision date: 24/01/2024

Eye contact : Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower

and upper eyelids occasionally. Get medical attention immediately.

Remove contact lenses if present and easy to do. Protect unharmed eye.

Ingestion : Drink plenty of water. Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Irritating to respiratory system.

Symptoms/injuries after skin contact : Redness Burn

Symptoms/injuries after eye contact : Mild Irritation, superficial burning sensation Tearing

Symptoms/injuries after ingestion : Cough

Chronic symptoms : None reported

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing powder or water spray. Fight larger fires with water spray or

alcohol resistant foam.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Explosion hazard : carbon dioxide (CO2), carbon monoxide.

Reactivity : Under conditions giving incomplete combustion, hazardous gases produced

may consists of CO and CO2.

5.3 Advice for firefighters

Firefighting instructions : Avoid breathing fire gases or vapours

Protection during firefighting : Use personal protective equipment. In the event of fire, wear self-contained

breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Protective equipment : Self-contained breathing equipment.

Emergency procedures : Keep upwind. Mark the danger area. Advice for non-emergency personnel:

Use personal protective equipment. Evacuate personnel to safe areas. Ventilate the area. Keep people away from and upwind of spill/leak. Advice for

emergency responders: Use personal protective equipment.

6.1.2 For Emergency responders

Protective equipment : Wear appropriate protective equipment and self- contained breathing

apparatus

Emergency procedures : Stop leak if safe to do so. Ventilate area.

6.2 Environmental precautions





Supersedes: 19/04/2023 Revision: 1.1 Revision date: 24/01/2024

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up

For containment

Contain released substance, transfer (pump) into suitable containers. Use compatible material of containers. Do not use compressed air for pumping over spills.

Methods for cleaning up

Take up liquid spill into inert absorbent material, e.g.: sand, earth, vermiculite, powdered limestone. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/ authorized disposal facility. Wash clothing and equipment after handling. Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

No additional information available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling

: Avoid physical damage to containers. Avoid prolong contact with eyes and skin. Ensure good ventilation/exhaustion at the workplace. Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2 Conditions for safe storage, including any incompatibilities

Incompatible products

Oxidizing agent, Acid chlorides, Acid anhydrides, Chloroformates, Reducing

agents

Storage temperature

Storage temperature :< 49.6 °C / 119.4 °F. Storage class (10): Combustible liquids

Heat-ignition

: KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.

Prohibitions on mixed storage

KEEP SUBSTANCE AWAY FROM: combustible materials. oxidizing agents.

Storage area

Store in a dry area. Ventilation at floor level. Keep out of direct sunlight. Fireproof storeroom. Keep locked up. Meet the legal requirements. Avoid moisture

Special rules on packaging

SPECIAL REQUIREMENTS: closing. dry. clean. correctly labelled. meet the legal requirements. Secure fragile packaging in solid containers.

Packaging materials : No data available

7.3 Specific end uses

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits:

Exposure limits not established in US.

8.2 Exposure controls





Revision date: 24/01/2024 Supersedes: 19/04/2023 Revision: 1.1

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.







Personal protective equipment

Protective goggles. Gloves. Protective clothing.

Materials for protective clothing The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer.

Eye protection Tightly sealed goggles

Head/neck protection. Corrosion-proof clothing. Skin and body protection

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment. Breathing apparatus with filter. (DIN 141). Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid **Appearance** Liquid Colour Colourless Odour Odourless рΗ Not determined Melting point -9 °C (246 K) Freezing point No Data Available

154.5 °C

Initial boiling point/boiling range Flash Point 53.4 °C (99.6 kPa) Relative density 1.034 g/cm3 at 20 °C Specific gravity/ density No Data Available Molecular mass 118.13 g/mol Flammability Flammable liquid Upper/lower flammability or Explosive limit 1.5 - 11.4 vol %

Solubility Miscible in water Vapor pressure 510 Pa (20 °C) Vapour density No Data Available No Data Available **Evaporation Rate**

Partition coefficient n-octanol/water 0.31 Log KOW (octanol-water) at 20 °C

430 °C (EU Method A.15 (Auto-Ignition Temperature (Liquids and Gases))) Auto-ignition temperature

No Data Available Decomposition temperature Viscosity 3.6 mm²/s (static) Oxidizing properties Non oxidizing

9.2 Other information

No data available.





Supersedes: 19/04/2023 Revision: 1.1 Revision date: 24/01/2024

SECTION 10: Stability and reactivity

10.1 Reactivity : No further relevant information available.

10.2 Chemical Stability : Stable under recommended storage conditions

10.3 Possibility of hazardous reactions : No dangerous reactions known.

10.4 Conditions to avoid : Extremes of temperature and direct sunlight. Direct heating, dirt, chemical

contamination, sunlight, UV or ionising radiation. No flames, no sparks.

Eliminate all sources of ignition.

10.5 Incompatible materials : Oxidizing agents, bases, acids, metals.

10.6 Hazardous decomposition

products

Toxic fumes, carbon dioxide (CO2), carbon monoxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Likely routes of exposure : Eye contact, STOT SE 3

Acute toxicity : Based on available data, the classification criteria are not met.

ABC (XYZ)		
LD50 oral toxicity	:	>2000 mg/kg body weight (Rat)
Repeated Dose Toxicity	:	Species: Rat; Method: Oral; Dose: LC50: >5.4mg/kg/d; exposure period: 4 hr Observation Period:15 days

Skin irritation : Not classified

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified

Specific target organ toxicity (single

exposure)

May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

Not classified

Aspiration hazard : Not classified

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Ecology – general : Not classified

Ecology – air : Not classified

Ecology – water : Not classified

Ethyl-L-Lactate (687-47-8)				
	Toxicity to Fish	Toxicity to aquatic invertebrates	Toxicity to Microorganisms	





Supersedes: 19/04/2023 Revision: 1.1 Revision date: 24/01/2024

Species	Danio rerio	Raphidocelis subcapitata	Daphnia magna (Water flea)	Activated sludge (bacteriae)
Value	LC 50: 320mg/l	EC50>2200 mg/l	EC 50: >1078mg/l	NOEC: >1000mg/l
Exposure time	96 h	72 h	24h	3h
Test method: OECD	203	201	202	209

12.2 Persistence and degradability

Ethyl-L-Lactate (687-47-8)

Persistence and degradability

Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.3 Bioaccumulative potential

Ethyl-L-Lactate (687-47-8)

Log Pow	:	0.31
Bioaccumulative potential	:	Based on the logKow (0.31), and also for its ready biodegradability, and its high solubility in water, ethyl (S)-lactate is not expected to bioconcentrate.

12.4 Mobility in soil

Ethyl-L-Lactate (687-47-8)

Surface tension	:	No data available
Ecology – soil	:	The log partition coefficient of the test substance was predicted to be < 3.0

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste disposal recommendations

Remove and dispose waste in accordance with local and/or national regulations. Recommended practice of physico-chemical/biological treatment and authorized waste incinerator for solvents with energy recovery. Do not discharge into drains or the environment.

SECTION 14: TRANSPORT INFORMATION

Marine transport (IMDG)

UN No. : 1192

Proper shipping name and description : Ethyl lactate

Hazard Class : 3
Packing group : III
Hazard Identification Number : 30
Marine pollutant : No

Labels Environmentally : Flammable liquid

EMS Code : F-E,S-D

Air transport ICAO/IATA

UN number : 1192

Proper shipping name : Ethyl lactate

Hazard Class : 3





Supersedes: 19/04/2023 Revision: 1.1 Revision date: 24/01/2024

Packing group : III

Labels Environmentally : Flammable liquid

hazardous : No

Department of Transportation (DOT)

UN number : 1192

Proper shipping name and description : Ethyl lactate

Class : 3
Packaging group : III

Reportable Quantity (RQ) : 5 lbs

Poison Inhalation Hazard : No

Hazard labels :



3 - Flammable liquid

SECTION 15: Regulatory information

15.1 National regulations

Country	National Inventories	Listing
CANADA	DSL	Listed
CHINA	IECSC	Listed
JAPAN	ENCS	Listed
PHILIPPINES	PICCS	Listed
SOUTH KOREA	KECI	Listed
USA	TSCA	Listed

SECTION 16: Other information


16.1 Hazard Statement

H226 Flammable liquid and vapor.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

16.2 NFPA Rating



16.3 Abbreviations and acronyms





Supersedes: 19/04/2023 Revision: 1.1 Revision date: 24/01/2024

PBT =Persistent Bioaccumulative and Toxic

vPvB= Very Persistent and Very Bioaccumulative

SCBA= Self Contained Breathing Apparatus

NIOSH REL= National Institute for Occupational Safety and Health Recommended Exposure Limit

OSHA PEL=Occupational Safety and Health Adminstration Permissible Exposure Limit

OELTWA= Occupational Exposure Limit Time Weighted Averages

IDLH= Immediately Dangerous to Life or Health

UEL= Upper Explosive Limit

LEL= Lower Explosive Limit

RTECS= Registry of Toxic Effects of Chemical Substances

NTP=National Toxicology Programm

IARC= International Agency for Research on Cancer

EPA=Environmental Protection Agency

TSCA= Toxic Substances Control Act

NFPA= National Fire Protection Association

CSR=Chemical Safety Report

BCF = Bio Concentration Factor

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

TLV = Threshhold Limit Value

ACGIH = American Conference of Governmental Industrial Hygienist

REACH = Registration, Evaluation .Authorisation and Restriction of Chemicals

CLP = Classification, Labelling and Packaging

LD / LC = Lethal Doses / Lethal Concentration

GHS = Globally Harmonised System

ADR = Accord europeen relative au transport international de marchandises

IMDG-Code = International Maritime Code for Dangerous Goods

EmS = Emergency measures on Sea

ICAO = International Civil Aviation Organization

IATA/DGR= International Air Transport Association/Dangerous Goods Regulation

16.4 Further information:

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Godavari Biorefineries Ltd_assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application